AIIR Lab Systems for CLEF 2024 SimpleText Large Language Models for Text Simplification

Nicholas Largey, Reihaneh Maarefdoust, Shea Durgin and Behrooz Mansouri
University of Southern Maine, Portland, Maine, USA
SimpleText Lab, CLEF, Grenoble
September 2024









AIIR Lab Participation in SimpleText Lab'24

Participated in Tasks 1, 2, and 3

- 5 runs for Task 1 (Retrieving Passages to Include in a Simplified Summary)
- 2 runs for Task 2 (Identifying and Explaining Difficult Concepts) + 1 (erroneous)
- 3 runs for Task 3 (Simplify Scientific Text) + 1 (erroneous)

Our approaches are based on Large Language Models

- LLaMA-3 (8B-Instruct)
- Mistral (7B)
- We have considered few-shot prompting for using these models

Task 1: Retrieving Passages to Include in a Simplified Summary

LLM for Query Expansion


Pass the query, the related article title, and context to LLaMA3 to expand the initial query

LLM as a Pair-wise Re-ranker

Passing query + article title + (context)

Task	System Message
Query Expansion	Being a ranking model your first Task is to do query expansion. For an information need, you will add more context to it. Contextualize the query as best as you can in one or two short sentences, for a given information need and context.
Re-ranking	You are a ranking model for information retrieval. Given a query and two documents, you will say which one is more relevant. If Document 1 is more relevant say yes, otherwise say no.

Task 1: Overview of our Top Approaches



Task 1: Results and Analysis

Model	MRR	P@10	P@20	NDCG@10	NDCG@20	Bpref	MAP
LLaMABiEncoder	0.94	0.82	0.55	0.62	0.52	0.36	0.23
LLaMAReranker2	0.93	0.79	0.54	0.60	0.50	0.35	0.22

LLaMABiEncoder results, for 90% of topics, the MRR value is 1

Topic Id	Original Query	Expanded Query	MRR	P@10
T11.1	character relationship	character relationship network map The Witcher	1	1
G02.C1	concerns related to the handling of sensitive information by voice assistants	voice assistants handling sensitive information concerns Apple Siri recordings	0.33	0.7

Task 2: Identifying and Explaining Difficult Concepts

- LLaMA-3 and Mistral with few-shot prompting
- Different system prompts for each subtask

Mistral


System Message
Task 2.1 (Detecting Difficult Terms)

Role: You are a helpful assistant.

Task: Given a sentence, you will just output the unclear technical term or terms (up to 5 terms). You choose the terms that should be defined in order to understand the sentence. Each sentence can have up to 5 phrases.

Answer Format: You will decide the difficulty of unclear terms with scales easy (e), medium (m), hard (d).

Negative Sample: Note that easy does not include terms such as shown, pronouns, or numbers



Task 2: Results and Analysis

Model	Recall	Precision	Recall of Difficult Terms	Precision of Difficult Terms
Mistral	0.41	0.69	0.19	0.49
LLaMA	0.28	0.65	0.26	0.67

LLaMA extracts fewer terms compared to Mistral

- More precise on detecting difficulty levels
- LLaMA has less consistency compared to Mistral for the same sentences

Ground-truth		Mistral		LLaMA	
Term	Difficulty	Term	Difficulty	Term	Difficulty
cryptocurrency	m	cryptocurrency	d	cryptocurrency	d
digital currency	m	digital currency	m	digital currency	m
capital management	m	capital management	m	derivatives	m
nonmonetary applications	d	nonmonetary applications	m		
financial transactions	e	financial transactions	e		

Task 3: Simplify Scientific Text

Instruction-Tuned LLaMA3:

- Encode the provided training corpus with QLoRA to Instruction-Tune a LLaMA3 model
- Each run consists of new system message which is used for both sub-Tasks

Instruction Tuning

System Message (Run 1)

Task: Simplify this text for science students in college.

Output Format: Maximize the use of simple words and short sentences but include key words from the original text. Optimize the output FKGL, SARI and BLEU scores.

Negative Sample: Don't give an explanation, just output the simplified text.


Instruction Tuning

LLaMA3 Input Prompt

System Message +
Source Sentence/Abstract +
Target Sentence/Abstract

Task 3: Simplify Scientific Text





Task 3: Results and Analysis

Task 3.1			
Run	FKGL	SARI	BLEU
1	8.39	40.58	7.53
2	9.47	40.36	6.26

Tas	sk 3.2		
Run	FKGL	SARI	BLEU
1	9.07	43.44	11.73
ı	3.07	75.77	11.73

- Instructing LLaMA3 during training to target specific metrics lead to more desirable output
- In the output for run 1, the instructed "science student in college" scored lower on the FKGL scale than expected

Reference Sentence	Submitted Sentence		
Many Personal Digital Assistants (PDAs) are not able to understand decimal numbers	Most PDA CPUs are integer-only CPUs, meaning they can't perform calculations with decimal numbers		

Conclusion

AllR Lab approaches in SimpleText'24 involved using LLMs for all tasks

- Used for query expansion and re-ranking for Task 1 with promising results
- Used for extracting difficult terms and explanation for Task 2
 - Less competitive results
 - Future work will involve using retrieval augmented generation (RAG) for definition generation
- Fine-tuned for Task 3 with QLoRA, also, with promising results
 - We plan to explore Chain-of-Thoughts to teach the models how to reason about simplification



Thanks for your attention!
Thanks to the organizers of SimpleText Lab!
Special thanks to Liana Ermakova for giving a talk at the University of Southern Maine!

AIIR Lab Systems for CLEF 2024 SimpleText Large Language Models for Text Simplification

Nicholas Largey, Reihaneh Maarefdoust, Shea Durgin and Behrooz Mansouri

nicholas.largey@maine.edu,behrooz.mansouri@maine.edu

